LOGISTICS

Coupling and uncoupling of trailers

Full trailer

I. The handle in the picture ...



adjusts the length of the bar.
adjusts the height of the bar.
adjusts the lateral position of the bar
engages the trailer parking brake.

II. Does the lever handle have to hit the middle of the pull-up paddock?

YES / NO






LOGISTICS

Coupling and uncoupling of trailers

Full trailer

III. How can you make sure that the traction kit is locked? Mark all correct answers.



Checking that the hand grip of the tow rail is in the upper position
Trying to cancel it
Checking that the hand handle of the tow rail has landed horizontally
Trying to drive forward
Checking that the hand grip of the towbar has descended completely down

IV. Is this the wrong way to leave air hoses and electrical wiring in a parked trailer in the photo?



YES / NO





LOGISTICS

Coupling and uncoupling of trailers

Full trailer

V. Do I need to press the button next to the assist/feather cage when opening the pull-up kit?



YES / NO

NOTES:

STEP IN to the online world/virtual learning, Facilitation of access to Vocational practice through online teaching at secondary technical schools

The project is co-financed by the European Union, ERASMUS+ programme.

Contract number: 2020-1-SK01-KA226-VET-094400

The European Commission's support for the production of this material does not constitute an endorsement of the contents, which reflect the views only of the authors, and the Commission cannot be held responsible for any use which may be made of the information contained therein.

STEP IN project in partnership with:













